



GERBER

86-986 86-987

Ceramic Disc Cartridge

Features:

- Ceramic disc cartridge
- 19 mm diameter
- Metal housing
- Meet CA AB 1953 requirements
- Hot or cold marking separately

Standards & Certifications:

- NSF 61
- CA AB 1953

Catalog Numbers:

- 86-986** Ceramic disc cartridge cold side
86-987 Ceramic disc cartridge hot side

Prefixes Available:



None

Suffixes Available:

None

Used in Faucet:

- 43-717** Abigail two handle kitchen faucet
- 43-817** Abigail two handle kitchen faucet
- 52-000** Hardwater two handle kitchen faucet
- 52-010** Hardwater two handle kitchen faucet
- 52-080** Hardwater two handle kitchen faucet
- 42-110** Maxwell two handle kitchen faucet
- 42-111** Maxwell two handle kitchen faucet
- 42-113** Maxwell two handle kitchen faucet
- 42-115** Maxwell two handle kitchen faucet
- 49-262** Brianne bar faucet
- 49-282** Abigail bar faucet



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	

Gerber Toll Free Technical Support: 888-648-6466
www.gerberonline.com



Washerless Cartridge

Features:

- Washerless cartridge
- Anti-Scald capability
- Adjustable temperature limit stop
- Adjustable volume control
- Instant shut off in the event of hot or cold water failure
- Pressure balance design maintains $\pm 3^{\circ}$ F temperature range

Standards & Certifications:

- None

Catalog Numbers:

GA507978 Washerless pressure balance cartridge

Prefixes Available:

None

Suffixes Available:

None

Used in Faucet:**GS-313**

Gerber PLUS washerless PBV valve, CPVC with stops

GS-313-PK

Gerber PLUS washerless PBV valve, CPVC with stops,
Gerber pak

GS-314-PK

Gerber PLUS washerless PBV valve, PEX-b/c with stops,
Gerber pak

GS-315



Gerber PLUS washerless PBV valve, IPS/sweat with stops

GS-315-PK

Gerber PLUS washerless PBV valve, IPS/sweat with stops

GS-317-PK

Gerber PLUS washerless PBV valve, PEX-a with stops,
Gerber pak



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Ceramic Disc Cartridge

Features:

- Ceramic disc cartridge
- 25mm diameter
- Plastic housing
- Meet NSF/ANSI 372 requirements
- Does not have temperature limit stop.

Standards & Certifications:

- NSF 61
- NSF/ANSI 372

Catalog Numbers:

GA507906 Ceramic disc cartridge

Prefixes Available:

None



Suffixes Available:

None

Used in Faucet:

40-335 Logan Square single handle lavatory faucet

40-330 Riverdale single handle lavatory faucet



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Washerless Cartridge

Features:

- Washerless cartridge
- Anti-Scald capability
- Adjustable temperature limit stop
- Adjustable volume control
- Instant shut off in the event of hot or cold water failure
- Pressure balance design maintains $\pm 3^{\circ}$ F temperature range

Standards & Certifications:

- None

Catalog Numbers:

GA507047 Washerless cartridge

Prefixes Available:

None



Suffixes Available:

None

Used in Faucet:

GS-324 Gerber *PLUS* valve, with stops/ pex-crimp (b&c)

GS-325 Gerber *PLUS* valve, with stops, IPS/ sweat



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Washerless Cartridge

Features:

- Washerless cartridge
- 20 mm diameter
- Plastic housing with plastic rod
- Meet NSF/ANSI 372 requirements

Standards & Certifications:

- NSF 61
- NSF/ANSI 372 compliant

Catalog Numbers:

GA507043N Washerless cartridge

Prefixes Available:

None



Suffixes Available:

None

Used in Faucet:

GE100430T

Maxwell two handle laundry faucet



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Compression Cartridge

Features:

- Compression cartridge
- 17 mm diameter
- Metal housing
- Meet CA AB 1953 requirements
- Hot or cold marking separately

Standards & Certifications:

- NSF 61
- CA AB 1953

Catalog Numbers:

98-698 Compression cartridge cold side

98-699 Compression cartridge hot side

Prefixes Available:



None

Suffixes Available:

None

Used in Faucet:

- 42-136** Gerber Classics two handle kitchen faucet
- 42-236** Gerber Classics two handle kitchen faucet
- 42-426** Gerber Classics two handle kitchen faucet
- 42-526** Gerber Classics two handle kitchen faucet
- 42-630** Gerber Classics two handle kitchen faucet
- 42-631** Gerber Classics two handle kitchen faucet
- 42-690** Gerber Classics two handle kitchen faucet
- 42-691** Gerber Classics two handle kitchen faucet
- 43-411** Gerber Classics two handle lavatory faucet
- 43-413** Gerber Classics two handle lavatory faucet
- 43-431** Gerber Classics two handle lavatory faucet
- 43-432** Gerber Classics two handle lavatory faucet
- 43-071** Gerber Classics two handle lavatory faucet



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Compression Cartridge

Features:

- Compression cartridge
- 17 mm diameter
- Metal housing
- Meet NSF/ANSI 372 requirements
- Hot or cold marking separately

Standards & Certifications:

- NSF 61
- NSF/ANSI 372

Catalog Numbers:

98-688 Compression cartridge hot side

98-689 Compression cartridge cold side

Prefixes Available:



None

Suffixes Available:

None

Used in Faucet:

- 42-136** Gerber Classics two handle kitchen faucet
- 42-236** Gerber Classics two handle kitchen faucet
- 42-426** Gerber Classics two handle kitchen faucet
- 42-526** Gerber Classics two handle kitchen faucet
- 42-630** Gerber Classics two handle kitchen faucet
- 42-631** Gerber Classics two handle kitchen faucet
- 42-690** Gerber Classics two handle kitchen faucet
- 42-691** Gerber Classics two handle kitchen faucet
- 43-411** Gerber Classics two handle lavatory faucet
- 43-413** Gerber Classics two handle lavatory faucet
- 43-431** Gerber Classics two handle lavatory faucet
- 43-432** Gerber Classics two handle lavatory faucet
- 43-071** Gerber Classics two handle lavatory faucet



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	

**Features:**

- Metal pop up drain
- Max deck thickness 2-1/4"
- Vandal proof
- Available in rough brass only

Standards & Certifications:



None

Catalog Numbers:

97-735 Rough brass

Suffixes Available:

None



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Washerless Cartridge

Features:

- Washerless cartridge
- 25 mm diameter
- Metal housing
- Meet NSF ANSI/372 requirements

Standards & Certifications:

- NSF ANSI/372

Catalog Numbers:

0097499 Washerless cartridge

Prefixes Available:

None

Suffixes Available:

None

Used in Faucet:

40-145-W

Maxwell SE single handle lavatory faucet

40-110-W



Maxwell SE single handle kitchen faucet

40-112-W

Maxwell SE single handle kitchen faucet,
with spray

40-465-W

Maxwell SE KTPO faucet



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Washerless Cartridge

Features:

- Washerless cartridge
- 20 mm diameter
- Plastic housing with metal rod
- Meet NSF/ANSI 372 requirements

Standards & Certifications:

- NSF 61
- NSF/ANSI 372 compliant

Catalog Numbers:

97-497 Washerless cartridge

Prefixes Available:

None



Suffixes Available:

None

Used in Faucet:

43-145-W

Maxwell SE two handle lavatory faucet



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Metering Cartridge

Features:

- Metering cartridge
- 21mm diameter
- Metal housing

Standards & Certifications:

None

Catalog Numbers:

97-345 Metering cartridge

Prefixes Available:



None

Suffixes Available:

None

Used in Faucet:

- 44-346** Single handle metering faucet
- 44-340** Two handles metering faucet



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



GERBER

97344 & 97345

Metering Cartridge

Features:

- Metering cartridge
- 21mm diameter
- Metal housing

Standards & Certifications:

None

Catalog Numbers:

- 97-344** Actuator Assembly
- 97-345** Metering cartridge

Prefixes Available:



None

Suffixes Available:

None

Used in Faucet:

- 44-340** Two handles metering faucet
- 44-346** Single handle metering faucet



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	

Gerber Toll Free Technical Support: 888-648-6466
www.gerberonline.com



Ceramic Disc Cartridge

Features:

- Ceramic disc cartridge
- Anti-Scald capability
- Adjustable temperature limit stop
- Adjustable volume control
- Instant shut off in the event of hot or cold water failure
- Pressure balance design maintains $\pm 3^{\circ}$ F temperature range

Standards & Certifications:

- None

Catalog Numbers:

97-232 Ceramic disc pressure balance valve cartridge

Prefixes Available:

None



Suffixes Available:

None

Used in Faucet:

GH-305

Ceramic disc cartridge pressure balance valve, with stops



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Ceramic Disc Cartridge

Features:

- Ceramic disc cartridge
- Check valve available
- Anti-Scald capability
- Adjustable temperature limit stop
- Adjustable volume control
- Instant shut off in the event of hot or cold water failure
- Pressure balance design maintains $\pm 3^{\circ}$ F temperature range

Standards & Certifications:

- None

Catalog Numbers:

97-231 Ceramic disc pressure balance valve cartridge

Prefixes Available:



None

Suffixes Available:

None

Used in Faucet:**GH-301**

Ceramic disc cartridge pressure balance valve, less stops



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Washerless Cartridge

Features:

- Washerless cartridge
- Anti-Scald capability
- Adjustable temperature limit stop
- Pressure balance design maintains $\pm 3^{\circ}$ F temperature range

Standards & Certifications:

- None

Catalog Numbers:

97-058 Washerless pressure balance cartridge

Prefixes Available:

None

Suffixes Available:



None

Used in Faucet:**GS-303**

Washerless PBV valve, IPS with adapters

GS-305

Washerless PBV valve, sweat connectors without adapters



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Washerless Cartridge

Features:

- Washerless cartridge
- Anti-Scald capability
- Adjustable temperature limit stop
- Adjustable volume control
- Instant shut off in the event of hot or cold water failure
- Pressure balance design maintains $\pm 3^{\circ}$ F temperature range

Standards & Certifications:

- None

Catalog Numbers:

- 0097022** Safetemp control cartridge
0097014 Safetemp assy L/ control cartridge

Prefixes Available:



None

Suffixes Available:

None

Used in Faucet:

- 49-721** Gerber Classics T&S Trim Kits
- 49-731** Gerber Classics T&S Trim Kits
- 49-731-82** Gerber Classics T&S Trim Kits
- 49-700** Gerber Classics T&S Trim Kits
- 49-720** Gerber Classics T&S Trim Kits
- 49-725** Gerber Classics T&S Trim Kits
- 49-730** Gerber Classics T&S Trim Kits
- 49-730-82** Gerber Classics T&S Trim Kits
- 49-733** Gerber Classics T&S Trim Kits
- 49-735** Gerber Classics T&S Trim Kits



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Ceramic Disc Cartridge

Features:

- Ceramic disc cartridge
- Anti-Scald capability
- Adjustable temperature limit stop
- Adjustable volume control
- Instant shut off in the event of hot or cold water failure
- Pressure balance design maintains $\pm 3^{\circ}$ F temperature range

Standards & Certifications:

- None

Catalog Numbers:

0092298 Hw pres bal assy L/ control cartridge

0097013 Hw pres bal assy L/ control cartridge

Prefixes Available:



None

Suffixes Available:

None

Used in Faucet:

- 49-831** Gerber Harderwater T&S Trim Kits
- 49-831-82** Gerber Harderwater T&S Trim Kits
- 49-803** Gerber Harderwater T&S Trim Kits
- 49-820** Gerber Harderwater T&S Trim Kits
- 49-830** Gerber Harderwater T&S Trim Kits
- 49-830-82** Gerber Harderwater T&S Trim Kits
- 49-833** Gerber Harderwater T&S Trim Kits



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



Ceramic Disc Cartridge

Features:

- Ceramic disc cartridge
- 35 mm diameter
- Metal housing
- Meet CA AB 1953 requirements
- Temperature limited stops

Standards & Certifications:

- NSF 61
- CA AB 1953 compliant

Catalog Numbers:

92-308 Ceramic disc cartridge

Prefixes Available:



None

Suffixes Available:

None

Used in Faucet:

- 40-475** Wicher Park pull-down kitchen faucet
- 40-471** Daylene pull-down kitchen faucet
- 40-480** Brianne pull-out kitchen faucet
- 40-490** Abigail pull-out kitchen faucet
- 40-485** Allerton pull-out kitchen faucet
- 40-183** Brianne single handle kitchen faucet
- 40-193** Abigail single handle kitchen faucet
- 40-161** Allerton single handle kitchen faucet
- 40-163** Allerton single handle kitchen faucet
- 40-151** Allerton single handle kitchen faucet
- 40-451** Allerton single handle kitchen faucet
- 40-351** Allerton single handle kitchen faucet



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



GERBER

92-308

Ceramic Disc Cartridge

- 40-110** Maxwell single handle kitchen faucet
- 40-111** Maxwell single handle kitchen faucet
- 40-112** Maxwell single handle kitchen faucet
- 40-325** Wicher Park single handle lavatory faucet
- 43-082** Pomeroy single handle lavatory faucet
- 40-584** Allerton single handle lavatory faucet
- 40-140** Maxwell single handle lavatory faucet
- 40-141** Maxwell single handle lavatory faucet
- 40-142** Maxwell single handle lavatory faucet
- 40-143** Maxwell single handle lavatory faucet
- 40-144** Maxwell single handle lavatory faucet
- 40-145** Maxwell single handle lavatory faucet



Ceramic Disc Cartridge

Features:

- Ceramic disc cartridge
- 35 mm diameter
- Plastic housing
- Meet NSF/ANSI 372 requirements
- Temperature limited stops

Standards & Certifications:

- NSF 61
- NSF/ANSI 372

Catalog Numbers:

92-298 Ceramic disc cartridge

Prefixes Available:

None



Suffixes Available:

None

Used in Faucet:

Used in all single handle ceramic kitchen and single handle lavatory faucets except for Logan Square and Riverdale

40-475	40-471	40-480	40-490
40-485	40-183	40-193	40-161
40-163	40-151	40-451	40-351
40-110	40-111	40-112	40-325
43-082	40-584	40-140	40-141
40-142	40-143	40-144	40-145



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	

Gerber Toll Free Technical Support: 888-648-6466
www.gerberonline.com



Ceramic Disc Cartridge

Features:

- Ceramic disc cartridge
- 19 mm diameter
- Metal housing
- Meet NSF/ANSI 372 requirements
- Hot or cold marking separately

Standards & Certifications:

- NSF 61
- NSF/ANSI 372

Catalog Numbers:

- 86-986** Ceramic disc cartridge cold side
86-987 Ceramic disc cartridge hot side

Prefixes Available:

None



Suffixes Available:

None

Used in Faucet:

Used in all two handle ceramic kitchen, lavatory and bar faucets

43-717	43-817	52-000	52-010
52-080	42-110	42-111	42-113
42-115	49-262	49-282	49-272
59-900	43-480	43-482	43-092
43-232	43-321	43-172	43-222
43-351	43-372	43-465	43-086
43-475	43-075	43-470	43-095
43-462	43-341	43-272	53-100
53-120	53-220	CX-83-803	



Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



GERBER

86-986 86-987

Ceramic Disc Cartridge

49-272	Allerton bar faucet
59-900	Hardwater bar faucet
43-480	Logan Square two handle lavatory faucet
43-482	Logan Square two handle lavatory faucet
43-092	Whicker Park two handle lavatory faucet
43-232	Brianne two handle lavatory faucet
43-321	Brianne two handle lavatory faucet
43-172	Brianne two handle lavatory faucet
43-222	Abigail two handle lavatory faucet
43-351	Abigail two handle lavatory faucet
43-372	Abigail two handle lavatory faucet
43-465	Riverdale two handle lavatory faucet
43-086	Riverdale two handle lavatory faucet
43-475	Carol Stream two handle lavatory faucet
43-075	Carol Stream two handle lavatory faucet
43-470	Waveland two handle lavatory faucet
43-095	Waveland two handle lavatory faucet
43-462	Allerton two handle lavatory faucet
43-341	Allerton two handle lavatory faucet
43-272	Allerton two handle lavatory faucet
53-100	Hardwater two handle lavatory faucet
53-120	Hardwater two handle lavatory faucet
53-220	Hardwater two handle lavatory faucet
CX-83-803	Hardwater two handle lavatory faucet